

520 South Street New Castle, Delaware 19720 Telephone: (302) 328-9444
Facsimile: (302) 328-9445
information@extread.com

www.eztread.com

Is this a price	ce Quote?	or Order?	Is there a PO/Side mark?	_
Unfinished:	?	Prefinished?	if so color	
Species				
EZTREAD	Sta	ndard Tread		
Quantity	Width	Riser or Tread?	Special notes	
		eads with this order/quote? _eturns)		
From:				
Phone:				
Fax: Please print cl	early			



Order Form Open Stair

520 South Street

New Castle, Delaware 19720 Telephone: 302 328 9444

Fax: 302 328 9445

email: information@eztread.com

WWW.EZTREAD.COM

Is this a price	e Quote?	or Order	Is there a PO/Side mark?		
Unfinished?		Prefinished?			
Snecies			EZTREAD/ EZRISER	Standard Treads/Riser	
3pccics			Mitered return and	starting step forms should I	be attached
Quantity	Width 36" 48" or other		Mitered or Box Treads left /right/ double/ box	Starting Step	w/riser
	ii 				
			<u> </u> 		
	 	i i	<u>:</u> !	ii i	
	<u> </u> 		<u> </u> 		
	ii 	 	<u>;</u>	 	
	<u> </u> 	<u> </u>	<u> </u>	<u> </u>	
	ii 	; ; ;	i 		
	::	<u>:</u>		Quantity of linear feet	Prefinished/
Е	Brackets	Quantity	Landing tread	Specify Size	Unfinished
Plain white 7	7028	<u> </u>	3.50 "		
Plain 7028 (s	same species)		5.25"		
Scrolled 702	9 (same species)				
	. Quantity o	f linear feet		Quantity of lin	ear feet
Cove			EZTREAD COVE		
From:					
Phone:					
Fax:					

please print clearly



520 South Street

New Castle, Delaware 19720 Telephone: (302) 328-9444 Facsimile: (302) 328-9445

INFORMATION@EZTREAD.COM

www.eztread.com

TREAD - LEFT HAND MITERED RETURN

(Determined by standing at bottom of staircase looking up)

Measurements and Specifications are required.

<u> 312E3</u> :									
Thickness:	EZTREAD	standard	thickness	is	3/4"	with a	а	1"	nose

Widths & Lengths:	
	Rough cut of existing tread minus nose. Shop will add 3/8" to measurement to allow for
D .	varying depths of treads.
	Factory standard depth of mitered return is 1-1/4" unless otherwise noted by customer
	Throat measurement between mitered edges
	Overall Length of Tread
E:	Factory Standard width of mitered return is 1-1/4"
F:	Total depth of the mitered return.
SPECIE (Type of V	Vood):QUANTITY: R UNFINISHED IF CUSTOM COLOR, SPECIFY THE COLOR:
PREFINISHED OF	R UNFINISHED IF CUSTOM COLOR, SPECIFY THE COLOR:
(CIRCLE ON	BELOW = TOP VIEW OF LEFT HAND MITERED RETURN
• ₽ • B	
11 11-	<u> </u>
F	
	D
100	
II AI	
100	
1	STANDARD STAIR NOSE 1 1/4"
Ms.	AIDE VIEW
	SIDE VIEW
	TO BE REMOVED BEFORE INSTALLATION A
T C 11 '	
	and dimensions listed on this document and agree that I cannot return custom-made stair treads
once this order is p	processed.
D	(C: 1 D : 1)
Requested By:	(Signature Required)
Print Name:	Date:
Company Name: _	Phone No:
Is this an Order? _	Request for Quote?

Are there other items with this Order/Quote_____(for example, box treads or risers)

Please reference a PO#, Customer Side Mark, or Job Name?_____



EMAIL: INFORMATION@EZTREAD.COM

www.eztread.com

TREAD - RIGHT HAND MITERED RETURN

(Determined by standing at bottom of staircase looking up) Measurements and Specifications are Required

SIZES:

Thickness: EZTREAD standard thickness is 3/4" with a 1" nose

Width	s & Lengths:				
	Rough cut of existing tread minus nose. Shop will add 3/8" to your measurement to				
	allow for varying step depths.				
B :	Factory standard depth of mitered return is 1-1/4" unless otherwise noted by customer				
	Throat measurement between mitered edges				
D: Overall Length of Tread					
E : Factory Standard width of mitered return is 1-1/4"					
F:	Total depth of mitered return.				
Specie (Ty	ype of Wood):Quantity:				
	HED OR UNFINISHED If custom color, specify:				
	BELOW = TOP VIEW OF RIGHT HAND MITERED RETURN				
	С				
	D				
	STANDARD STAIR NOSE 1 1/4"				
	Il sizes and dimensions listed on this document and agree that I cannot return de stair treads once this order is processed.				
Print Name	By: (Signature Required) :				
Company N	Name:Phone #				
Is this an C	Order? Request for Quote?				
Are there a	re other items with this Order/Quote (for example box treads and risers)				

Please reference a PO#, Customer name, Side Mark or Job Name:_



520 South Street

New Castle, Delaware 19720 Telephone: (302) 328-9444 Facsimile: (302) 328-9445

E-MAIL: INFORMATION@EZTREAD.COM

www.eztread.com

TREAD - DOUBLE MITERED RETURN

Measurements and Specifications are Required.

C	T	7	EC	
3	1	_	ட	

Thickness: The standard for EZTREAD is ¾" thick and the nose is 1" thick.

Widths & Le	engths:					
A :	Rough cut of existing tread minus nose. Shop will add 3/8" to measurement to allow for varying depths of treads.					
D.						
D	Factory standard depth of mitered return is 1-1/4" unless otherwise noted by customer					
	Throat measurement between mitered edges					
	Overall Length of Tread					
E: Factory Standard width of mitered return is 1-1/4" F: Total depth of the mitered return.						
			UANTITY:			
SPECIE (Ty	pe of Wood):	Y	UANIIII:			
CIR (CIR	TAKE MEAS	VIEW OF DOUBLE M SUREMENTS AS SET	ITERED RETURN	_		
F	4	D	A	F		
	STANDA	RD DEPTH OF NOSE = 1-1	4 +	1		
	zes and dimensions listed or stair treads once this order i		agree that I cannot re	turn		
Company Nam Are there other	ne:er items with the order?	Phor (yes or no) for (e #example box treads or	 r risers		
Please provide	PO#, customer name, side	mark, or job name?_	·			



information@eztread.com
www.eztread.com

LEFT SIDE OPEN STARTING STEP (Rounded At One End)

Measurements and Specifications are Required

SIZES:	
--------	--

Widths & Lengths:		
A:		
B:		
C:		
D:		
E: F:		
		Quantity:
Circle Choices:	shed or Unfinished	
,	r Without Riser (Prime	d or Same Specie)
		With Cove Kit?
		r:
	<u> </u>	
F C	E	
I confirm all sizes and dimer return custom-made stair tr	nsions listed on this do	cument and agree that I cannot processed.
Requested By: Print Name:		
		_ Phone:
Please Provide Reference No	: Purchase Order:	Quote:
	Sales Order	Other

Please Circle Choice: Is this a Quote or Sales Order?



information@eztread.com
www.eztread.com

RIGHT SIDE OPEN STARTING STEP (Rounded At One End)

Measurements and Specifications are Required

<u>SIZES</u> :	
Widths & Lengths:	
A:	
B:	
C:	
D:	
E:	
F:	
Specie (Type of Wood): Circle Choices:	Quantity:
	ished or Unfinished
,	or Without Riser (Primed or Same Specie)
	Shoe Kit? With Cove Kit?
	tom Color, Specify Color:
4) Il Cus	tom color, specify color:
BELO	OW = TOP VIEW OF SINGLE OPEN STARTING STEP
В	B
	~ /
* E	
T confirm all sizes and dimens	ions listed on this document and agree that I cannot
	ads once this order is processed.
Requested By:	(Signature Required)
	(organism of the plant o
Company Name:	
Please Provide Reference No:	Purchase Order: Quote:

Please Circle Choice: Is this a Quote or Sales Order?



SIZES:

520 South Street New Castle, Delaware 19720 Telephone: (302) 328-9444

Facsimile: (302) 328-9445 INFORMATION@EZTREAD.COM www.eztread.com

DOUBLE OPEN STARTING STEP (Rounded at Two Ends) Measurements and Specifications are Required.

:	
· ·	
:	
:	
:	
:	
pecie (Type of Wood):	Quantity:
Circle Choices: 1) Prefinished or Unfinish	
2) With or Without Riser (
	With Cove Kit?
4) If Custom Color, Please	e Specify:
DELOW TOD VIEW OF DOUBLE	CODEN CTARTING CTER
BELOW = TOP VIEW OF DOUBLE	OPEN STARTING STEP
- D	
F B	
(→────────────────────────────)
A C	
* E	•
confirm all sizes and dimensions listed on this	document and agree
cannot return custom-made stair treads once	this order is processed.
and the second s	(Ciarabasa Basaisad)
lequested By:	
rint Name: Company Name:	
onipany Name	
lease Provide Reference No: Purchase Orde	



INFORMATION@EZTREAD.COM

www.eztread.com

LEFT QUARTER CIRCLE STARTING STEP (Rounded At one end)

Measurements and Specifications are Required.

SIZES:	
Thickness:	
Widths & Lengths: A: B: C:	Overall Length of Tread Depth of tread Total Rise (floor to top of tread.)
	Quantity:
(CIRCLE ONE) A I confirm all sizes and dimense	HED IF CUSTOM COLOR SPECIFY
Requested By: Print Name: Date:	
Company Name: Please Provide Reference No:	Purchase Order: Quote: Sales Order: Other:



INFORMATION@EZTREAD.COM

Quote: _____

Other: _____

www.eztread.com

RIGHT QUARTER CIRCLE STARTING STEP (rounded on one end)

Measurements and Specifications are Required. SIZES: Thickness: Widths & Lengths: A: _____ Overall Length of Tread B: _____Depth of tread C: _____ Total Rise (floor to top of tread.) **Specie (Type of Wood): ______ Quantity: _____** PREFINISHED OR UNFINISHED IF CUSTOM COLOR SPECIFY_____ (CIRCLE ONE) I confirm all sizes and dimensions listed on this document and agree I cannot return custom-made stair treads once this order is processed. Requested By: ______ (Signature Required) Print Name: Date: Company Name: _____

Sales Order: _____

Please Provide Reference No: Purchase Order: _____



INFORMATION@EZTREAD.COM

www.eztread.com

DOUBLE QUARTER CIRCLE STARTING STEP (Rounded At Two Ends)

Measurements and Specifications are Required.

<u>SIZES</u> :	
Thickness:	
Widths & Lengths: A: B: C:	
Specie (Type of Wood):	
(CIRCLE ONE)	HED IF CUSTOM COLOR SPECIFY sions listed on this document and agree
I cannot return custom-made	e stair treads once this order is processed. (Signature Required)
Print Name: Date:	
Company Name: Please Provide Reference No:	Purchase Order: Quote: Sales Order: Other: